

POUSSOIR GRIS

ENDURANCE MECANIQUE: 100000 CYCLES

ETANCHEITE FACE AVANT SUIVANT:

MIL STD 810 D-506.2 METHODE 2

AUTRES CARACTERISTIQUES, IDENTIQUE A :

GREY BUTTON

MECHANICAL STRENGTH: 100000 CYCLES

WATERPROOF FRONT FACE IN CONFORMITY WITH:

MIL STD 810 D-506.2 METHODE 2

OTHER CHARACTERISTICS IDENTICAL TO :

FT83-450-001

-
-
83450010
Product:

A	CTP 5214 : CORRECTION COTE 2.1 MAX DEVIENT 3.1 MAX			Modified by	F_MONCHIAL	08/04/2002
				Verified by	R_JUNILLON	08/04/2002
				Authorized by		

Toler. gene. lin ±
Toler. gene. Ang ±

mm
degres




General
Raw surface



mm
degres

*This document is the property of Crouzet-Automatismes.
It's contents cannot be reproduced or divulged without the company's written approval.
The product data and specifications found on this document
do not constitute any contractual obligation.
Crouzet-Automatismes and its subsidiaries reserve the right to modify the specifications.
All rights of reproduction, modification, reprinting, and translation reserved for all countries*



Scale
1/1

2, rue du Dr. ABEL
BP 59, 26902,
Valence CEDEX 9
France

Customer:
Designation/FR: **BOUTON POUSSOIR COURT ETANCHE A EFFET TACTILE INVERSEUR UNIPOL**
Designation/GB: **WATERPROOF SHORT PUSH-BUTTON TACTILE-EFF SINGLE POLE CHANGE OVER**

Design by L_GUILHOT 01/09/1999
Verif. by M_DOREY 01/09/1999

Dispatching **01**
Index **A**
Format **A4**
Folio **1/1**

Department: CT
NATO code: FA0X2

Customer Ref.:
FT83450010FR