



POUSSOIR NOIR

ENDURANCE MECANIQUE: 100000 CYCLES
 ETANCHEITE FACE AVANT SUIVANT:

MIL STD 810 D-506.2 METHODE 2

AUTRES CARACTERISTIQUES, IDENTIQUE A :

BLACK BUTTON

MECHANICAL STRENGTH: 100000 CYCLES
 WATERPROOF FRONT FACE IN CONFORMITY WITH:

MIL STD 810 D-506.2 METHODE 2

OTHER CHARACTERISTICS IDENTICAL TO :

FT83-450-001

83450012

Product:

A CTP 5214 : CORRECTION COTE 2.1 MAX DEVIENT 3.1 MAX

Modified by F_MONCHIAL 09/04/2002

Verified by R_JUNILLON 09/04/2002

Authorized by



2, rue du Dr. ABEL
 BP 59, 26902,
 Valence CEDEX 9
 France

Toler. gene. lin ± mm
 Toler. gene. Ang ± degres

General Raw surface Ra ✓

Customer Ref.:

*This document is the property of Crouzet-Automatismes.
 It's contents cannot be reproduced or divulged without the company's written approval.
 The product data and specifications found on this document
 do not constitute any contractual obligation.
 Crouzet-Automatismes and its subsidiaries reserve the right to modify the specifications.
 All rights of reproduction, modification, reprinting, and translation reserved for all countries.*



Scale **1/1**

Department: CT

Customer:

Designation/FR: **BOUTON POUSSOIR COURT ETANCHE A EFFET TACTILE INVERSEUR UNIPOL**
 Designation/GB: **WATERPROOF SHORT PUSH-BUTTON TACTILE-EFF SINGLE POLE CHANGE OVER**

Design by L_GUILHOT 01/09/1999
 Verif. by M_DOREY 01/09/1999
 Authorized by

Customer Ref.:

PFT001:0<C>;0<M>

Dispatching **01**

Index

Format

Folio

1/1

A

A4

1/1

FT83450012FR