

POUSSOIR GRIS

ENDURANCE MECANIQUE: 100000 CYCLES

ETANCHEITE FACE AVANT SUIVANT:

MIL STD 810 D-506.2 METHODE 2

AUTRES CARACTERISTIQUES, IDENTIQUE A :

GREY BUTTON

MECHANICAL STRENGTH: 100000 CYCLES

WATERPROOF FRONT FACE IN CONFORMITY WITH:

MIL STD 810 D-506.2 METHODE 2

OTHER CHARACTERISTICS IDENTICAL TO :

FT83-453-001

-  
-  
83453008  
Product:


<b>B</b>	CTP 5214 : AJOUT DIAM 14 ET COTE 3.1 MAX		
	Modified by	F_MONCHIAL	09/04/2002
	Verified by	R_JUNILLON	09/04/2002
			Authorized by

Toler. gene. lin ± mm  
Toler. gene. Ang ± degres



General  
Raw surface  
Ra ✓

*This document is the property of Crouzet-Automatismes.  
It's contents cannot be reproduced or divulged without the company's written approval.  
The product data and specifications found on this document  
do not constitute any contractual obligation.  
Crouzet-Automatismes and its subsidiaries reserve the right to modify the specifications.  
All rights of reproduction, modification, reprinting, and translation reserved for all countries.*



Scale  
**1/1**

2, rue du Dr. ABEL  
BP 59, 26902,  
Valence CEDEX 9  
France

Customer:

Customer Ref.:

Designation/FR:

**BOUTON POUSSOIR ETANCHE A EFFET TACTILE INVERSEUR BIPOLAIRE**

PFT001:0<C>;0<M>

Department:

Design by R\_JUNILLON 23/11/1993

**WATERPROOF PUSH-BUTTON TACTILE-EFFECT TWO-POLE CHANGE OVER**

Dispatching **01**

CT

Verif. by R\_JUNILLON 23/11/1993

Index

Format

Folio

NATO code: FA0X2

Authorized by

**B**

**A4**

1/1

**DATA SHEET**

**FT83453008FR**