



Poussoir : Noir
 Button : Black
 Endurance mécanique : 100000 Cycles
 Mechanical strenght
 Etanchéité face avant suivant : MIL STD 810 D-506.2 METHODE 2
 Waterproff front face according to

CARACTERISTIQUES ELECTRIQUES
 ELECTRICAL CHARACTERITICS

TENSION	28 Vdc	VOLTAGE
COURANT	0.1 mA à 500 mA	CURRENT
ENDURANCE ELECTRIQUE	100 000 cycles	ELECTRICAL LIFE

Autres caractéristiques identiques à : FT83453001FR
 Other characteristics identical to :

-
83453045
Product:

A	CREATION DE L'OBJET.	Modified by	M_VERDIER	29/10/2014
	IA2014019	Verified by	P_GIROUD	29/10/2014
		Authorized by	NON APPLIC.	

Toler. gene. lin \pm 0.1 mm	This document is the property of Crouzet-Automatismes. It's contents cannot be reproduced or divulged without the company's written approval. The product data and specifications found on this document do not constitute any contractual obligation. Crouzet-Automatismes and its subsidiaries reserve the right to modify the specifications. All rights of reproduction, modification, reprinting, and translation reserved for all countries.	
Toler. gene. Ang \pm 3 degrees		
	General Raw surface	Scale 1/1

2, rue du Dr ABEL BP 59, 26902, Valence CEDEX 9 France	Customer:	Customer Ref.:	PFT001:x<C >;y<M>		
Department: CT	Designation/FR: BP BIP ETANCHE COURT NOIR BN + CACHE	Designation/GB:	Dispatching 01		
NATO code: FA0X2	Design by M_VERDIER 29/10/2014	Verif. by P_GIROUD 29/10/2014	DATA SHEET FT83453045FR		
	Authorized by NON APPLIC.		Index	Format	Folio
			A	A4	1/1